

MeltPro®

MPS2000 Pencil, Needle and Multi Orifice Nozzles

“Hands On, Hands Off” Nozzles



NO20AM-XX
Pencil Mini 1-hole



NO20AP-XX
Pencil 1-hole



NO20AP-XXS
Pencil 1-hole (SS)



NO20AD-XXYY
Button 2-hole

Multi Orifice



NO20AT-XXYY
Button 3-hole



NO20AQ-XXYY
Button 4-hole



NO20B1-XXYY
Button 1-hole Offset



NO20B2-XXYY
Button 2-hole Offset



NO20B3-XXYY
Button 3-hole Offset



NO20AZ-XXYY-.35
Button Ext .350 Long
2-4 Holes



NO20AD-XXD5
5-Hole Dice
(Circular)

90 Degree Nozzles



NO20S9-XX20
90° 2-hole 20°

**2-Hole 90° Nozzles
available in 15°, 20°, and 30°
degrees only



NO20S9-XX30
90° 2-hole 30°



NO20ST-XXYY
90° 3-hole



NO20S9-XX
90° 1-hole



NO20S9-XX15
90° 2-hole 15°

Nozzle Configuration:

XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

“Value-Engineered...A Difference You Can See.”

MeltPro®

AD Handgun Nozzles

“Hands On, Hands Off” Nozzles



AD31HG-XXM
Handgun AD-31 (SS)
¾" Long



AD31HG-XX
Handgun AD-31
2" Long



FP200-61-155: .061, 1.55 Long
FP200-90-229: .090, 2.29 Long
Handgun Nzl (FP-200)

MPS2000 Multi Orifice Nozzles (Specials)



NO20AZ-XXYY-35
Button Ext.
2-4 Holes



NO20AZ-XXYY
Button Ext.
2-4 Holes



NO-2003
Nut Retaining
(H200)



NO20AI-.5XXA
Ext. Needle
Nozzle Assy.



NO20AI-.5XX
Ext. Needle Nozzle

Needle Nozzle (Taper Head)



NO30AI-XX
Needle 1-hole (S.S.)

Nozzle Configuration: _____

XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

“Value-Engineered...A Difference You Can See.”

MeltPro®

MPS7000: Spray/Swirl Nozzles (Disk & Unibody)

6-Hole "Hands On, Hands Off" Nozzles



NO70AS-XX
Disk and Nut, 3/4" Wide
Air (No O-ring)



NO70AS-XXW
Disk and Nut, 2" Wide
Air (No O-ring)



NO71AS-XX
Unibody, 3/4" Wide
Air (O-ring)



NO71AS-XXW
Unibody, 2" Wide
Air (O-ring)



NO70AS-XX
Disk and Nut, 3/4" Wide
Air (No O-ring)



NO70AS-XXW
Disk and Nut, 2" Wide
Air (No O-ring)



NO71AS-XX
Unibody, 3/4" Wide
Air (O-ring)



NO71AS-XXW
Unibody, 2" Wide
Air (O-ring)

Steel 6-12 Hole "Hands On, Hands Off" Nozzles



NO71AS-XXS
Unibody 3/4" Wide
6-hole



NO73AS-XXS
Unibody 3/4" Wide
12-hole



NO73AS-XXWS
Unibody 2" Wide
12-hole



NO71AS-1XX 3/4" Wide
NO71AS-1XXW 2.0" Wide
Disk 6-hole (Air)



NO7003
Nut Retainer



NO71AS-01 (Pkg 10)
NO71AS-03 (Pkg 30)
NO71AS-0100 (Pkg 100)
O-RING

Nozzle Configuration:

XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.

"IF YOU GLUE IT, WE CAN DO IT" • 800-366-0568

"Value-Engineered...A Difference You Can See."

MeltPro®

NO3000 / H2O Button Nozzles

“Hands On, Hands Off” Nozzles



NO30AB-XX
Button 1-hole



NO30AD-XXYY
Button 2-hole



NO30AT-XXYY
Button 3-hole



NO30AQ-XXYY
Button 4-hole

Multi Orifice



NO30BZ-XXYY
Button Offset
(1-4 Holes)



NO30AC-XXYY
Button Circular



NO30AZ-XXYY
Button 6-hole
Button 8-hole



NO30AZ-XXYY-125
Button Ext. 1.25 Long
(2-8 Holes)



MEL7450-XX
Button 1-Hole (1" long)



MEL7550-XX
Button 1-hole (2" long)



NO30SZ-XXYYSP
Multi Orifice Drilled
(1-4 Holes)



NO30S9-XX
1-hole 90°



NO30S9-XX
1-hole 90°
Needle Nozzle
NO30AI-XX (Not Included)



NO-3003
Nut Retainer

Nozzle Configuration:

XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

MeltPro®

NO3000 / Ref. H20: Extended Nozzles (.380) Long

“Hands On Hands Off” Nozzles



NO30AM-XXE
Mini Pencil 1-hole



NO30AP-XXE
Pencil 1-hole (Brass)



NO30AP-XXSE
Pencil 1-hole (SS)



NO30AZ-XXYYE
Button Multi Orifice
2-4 Holes



NO30S9-XXE
90° 1-hole



NO30S9-XX15E
90° 2-hole 15°



NO30S9-XX20E
90° 2-hole 20°



NO30S9-XX30E
90° 2-hole 30°



NO30ST-XXYYE
90° 3-hole



NO30SZ-XXYYE
Side Seam Nozzle
(1-4 holes)



SW30AD20A
Adapter and Nut



SW30AD20
Adapter .380 Long



NO-3003
Nut Retaining H20



NO30AS-XXQQ-2.37
Ext. Slot Nozzle (SS)
(Special)

Nozzle Configuration: _____

**XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.**

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

“Value-Engineered...A Difference You Can See.”

MeltPro®

NO3000 / Ref. H20: Extended Nozzles (1.380) Long

“Hands On, Hands Off” Nozzles



NO30AM-XXEL
Mini Pencil 1-hole



NO30AP-XXEL
Pencil 1- hole (Brass)



NO30AP-XXSEL
Pencil 1- hole (SS)



NO30AZ-XXYYEL
Button Multi Orifice
(2-4 Holes)



NO30S9-XXEL
90° 1-hole



NO30S9-XX15EL
90° 2-hole 15°



90° 2-hole 20°
NO30S9-XX20EL



NO30S9-XX30EL
90° 2-hole 30°



NO30ST-XXYYEL
90° 3-hole



NO30SZ-XXYYET
Side Seam Nozzle
(1-4 Holes)



SW30AD20-138A
Adapter and Nut



SW30AD20-138
Adapter 1.38" Long



NO-30AI-1.5A
1-Hole – 1.5 Long Assy.
NO30AI-XX (NOT INCLUDED)



NO-30AI-1.5
1-Hole – 1.5 Long
NO30AI-XX (NOT INCLUDED)



NO-3003
Nut Retaining H20

Nozzle Configuration:

XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

“Value-Engineered...A Difference You Can See.”

MeltPro®

MPS2000 AND NO3000 Extended Nozzles: (Multi Wall Bags – Side Seaming)

“Hands On, Hands Off” Nozzles



NO30AI-1-2.0
1 Hole Ext. 2.0” Long



NO30AI-1-3.75
1 Hole Ext. 3.75” Long



NO30AI-2-ZZZ-3.75
2 Hole Ext. 3.75” Long



NO30AI-3-ZZZ-3.75
3 Hole Ext. 3.75” Long

NOTE: ZZZ = Spacing between nozzle tip and nozzle back



NO30AI-XX
Needle Nozzle (**Not Included**)
XX=Nozzle Orifice Size
(.08, .10, .12, .14, .16, .18, .20, .24, .28, .30, .40)

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

MeltPro®

NO3000 / Ref. H20: Stainless Steel Button Nozzles

“Hands On, Hands Off” Nozzles



NO30AB-XXS
Button 1-hole (SS)



NO30AB-XXYYS
Button 2-hole (SS)



NO30AT-XXYYS
Button 3-hole (SS)



NO30AQ-XXYYS
Button 4-hole (SS)



NO31AB-XXS
Button 1-hole (SS)
Nozzle Only



NO30AZ-XXYYS-125
Button Multi (1.25 Long)
1-8 Holes



NO3003
Nut Retainer H20


Nozzle Configuration:

**XX = NOZZLE ORIFICE SIZE (08-10-12-14-16-18-20-24-28-30-40-60-70-80-90)
YY = ANGLE OF ORIFICES (10-12-15-20-22-30-45-60-90-120)
FOR SPECIAL NOZZLES, PLEASE CONSULT THE FACTORY.**

“IF YOU GLUE IT, WE CAN DO IT” • 800-366-0568

MeltPro®

NO3000 / H2O T & Y Bars and Nozzles Top/Bottom Case Sealing – Multi Line Application



NOYB04-ZZZ-YYY: 4-hole
NOYB06-ZZZ-750: 6-hole
NOYB08-ZZZ-500: 8-hole
 Y-Bar E100 & E100XT



NOTB02-ZZZ-1.75: 2-hole
NOTB03-ZZZ-4.00: 3-hole
NOTB04-ZZZ-YYY: 4-hole
NOTB05-ZZZ-YYY: 5-hole
NOTB06-ZZZ-YYY: 6-hole
NOTB08-ZZZ-YYY: 8-hole
NOTB09-ZZZ-YYY: 9-hole
NOTB10-500-5.50: 10-hole
 T-Bar E100 & E100XT

NOZZLE CONFIGURATION

ZZZ = ORIFICE / NOZZLE SPACING
YYY = BAR LENGTH
Nozzles SL10EA-XX are not included.

SL10EA-XXA

Aim Nozzle Assy.
 (Nozzle, Screw, 2 Washers)
 XX=Nozzle Orifice Size
 (12=.012, 14=.014, 20=.020, 25=.025,
 30=.030, 40=.040, 60=.060)



SL10EA-XX

Aim Nozzle



SL10EA-S

Screw (Pkg 10)



SL10EA-1W SMALL

SL10EA-2W BIG
 O-Ring (Pkg 10)



"IF YOU GLUE IT, WE CAN DO IT" • 800-366-0568


MeltPro®

Multi Bead Plate and Nozzles for Sift Proof Applications




SW22MBP- XX-YY-ZZ-A

XX = Nozzle Orifice Size
 (08 -10-12-14-16-18-20-24-28-30- 40-60-70-80-90)
 YY = Number of Orifices / Nozzle
 ZZ = Distance Between Nozzle
 A = Nozzle Configuration (L= Left, R = Right, C = Center)



SW22MB-XX: Blank (PKG 5)
SW22MB-XX-5: (Pkg 5)
SW22MB-XX-10: (Pkg10)
SW22MB-XX-30: (Pkg 30)
SW22MB-XX-100: (Pkg 100)
 Needle Sift Proof Nozzle (SS)



Nozzle & Tool View

SW22MBT
SW22MBT-5: (Pkg 5)
SW22MBT-10: (Pkg 10)
SW22MBT-30: (Pkg 30)
SW22MBT-100: (Pkg 100)
 Tool Removal Nozzle (SS)

"IF YOU GLUE IT, WE CAN DO IT" • 800-366-0568

MeltPro®

REVISIONS		DATE
0	Initial Design	11/10/04

ITEM NO.	PART OR IDENTIFYING NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION	QTY.	RECD.
		PARIS LIST			
		NO30AD-XX-125 EXTENDED NOZZLE			
		NO30AD-XXXX MULTI ORIFICE BIG DOME BUTTON NOZZLE			
		NO30AD-XXXX MULTI ORIFICE BUTTON NOZZLE			
		NO30AD-XX SINGLE ORIFICE BUTTON NOZZLE			
		NO30AD-XX SINGLE ORIFICE STAINLESS STEEL BUTTON NOZZLE			

UNLESS OTHERWISE SPECIFIED:	UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES	DIMENSIONS ARE IN INCHES
FRACTIONS: DECIMALS: ANGLES	FRACTIONS: DECIMALS: ANGLES
1/16" 1/32" .001	1/16" 1/32" .001
XX = 10°	XX = 10°
XXX = 30°	XXX = 30°
XXXX = 45°	XXXX = 45°
NEPARD GEOMETRIC	NEPARD GEOMETRIC
FORMANCO 70K	FORMANCO 70K
MATERIAL: 6061 ALUMINUM	MATERIAL: 6061 ALUMINUM
FINISH: P00000	FINISH: P00000
NEPASTY	USED ON
	APPLICATION

DATE	NAME
11/10/04	JAO

SIZE	DWG. NO.	REV
B	GEN NZL INFO SHEET	0

SCALE:	WEIGHT:	SHEET 2 OF 2

"IF YOU GLUE IT, WE CAN DO IT" • 800-366-0568

"Value-Engineered...A Difference You Can See."

